



## Retractable Load Covering Solutions for H.D. Specialized Utility Trailers



877-790-5665  
[www.loadcovering.com](http://www.loadcovering.com)



# Where Innovation is Ongoing!





# Gooseneck Trailers Flat Top



Equip your Heavy Duty Goose Neck Trailers with two (2) possible Load Covering Models to choose from. Both are designed to accommodate a variety of loads. Now available in **"the LOOK"** premium fully modular frame and panel tarp design for easy assembly and quick replacement of all components, or the economical i-Slide3 bent solid-frame system with one piece fully welded tarp for the more basic load covering requirements. Both systems are fully retractable so you can roll in either direction for ease of access. When you require the full open deck for specialized requirements, remove the system completely from the trailer.



# Gooseneck Trailers Round Top



When your loads vary in size from 5-1/2ft on the sides to 7ft in the center while still desiring fuel efficiency, cargo protection, and aero-dynamics, there are two (2) Models of load covering systems to choose from. The Slide Kit is a fully modular frame and panel tarp system standing 66" high at the sides and 90" arched to the center. It comes standard with our CFD tested Windmaster Bullet Nose Fairing reducing wind drag and providing fuel economy. For Hot Shot load requirements, the 1-Shot full frame with one piece welded tarp provides all the basic load covering flexibility you require as an economical solution that meets the same requirements for aero-dynamics and cargo protection. These systems are highly recommended for heavy snow load and rain regions reducing snow, ice and water accumulation by 90% due to the domed roof.





# Deck Over Trailers



Designed for the heavy haul construction requirements, our load covering systems typically range in heights from 6ft – 8ft. However, they can be built to the 13'-6" OAL Max height. Available in both the **"the LOOK"** fully modular frame and panel tarp system or the economical **i-Slide3** bent frame system with one piece fully welded tarp for basic load covering requirements. Trailers are set up with exterior pocket and rub rails to accommodate standard winch straps or chain & binder tie downs. Our 6" Track is bolted directly to the rub rail with a convenient flexible 4" rubber seal to cap off road spray from underneath while still allowing loads to be secured.

## Fender Trailers *Covering Any Configuration*



Designed for a variety of fender style trailers our load covering systems can be customized to sit directly on the floor interior of the fenders or more commonly can sit above the fenders by attaching to a trailer fabricated side wall frame. In addition, a further cost saving can be realized for those Fender trailers under 20ft in length. They have the option to secure the tarp directly to the front Bulkhead and only roll from the rear to the front. If this is of interest you can request a fabric front on systems 6ft or lower.



# Curtain Side Trailers



There is an emerging market for command centers or specialized equipment operation trailers in the heavy duty construction, mining, and oil field industries. Load Covering Solution has the answer to these demands. This covering systems comes with a solid van like roof with soft side retractable curtains. Different from our Roll Top models where the deck is fully open top and sides, these models offer the option to only open either side partially or fully and allows trailers to be re-positioned in the field to protect against blowing wind, rains and snow. Available with regular swinging van doors or 2 styles of roll up flaps.

## LCS offers 8 Models of ROLL TOP Tarp Systems! Purchase the Model that Fits Your Budget

**i-slide**™  
BASIC ROLL TOP SYSTEM

"The Affordable Solution"

- 3" Steel V-Wheel
- One Pcs Tarp
- Roll Formed Frames
- Ratchet Tensioning Locks
- Flush Mound Bulkhead w/6ft Man Door

NEW

**i-slide**™  
RUGGED ROLL TOP SYSTEM

"The Everlast System"

- 4" Steel V-Wheel
- Original 1994 Proven Track
- One Pcs Tarp
- 2x2" SQ. Roll Formed Frames
- Ratchet Tensioning Locks

NEW

**the LOOK**  
engineered sliding systems

Interior SQ Cr.  
Modular Frames  
Modular Tarp Panels  
Optional POWAIR LOCKS



"The Steel Haulers 1st Choice"

66" High Sides  
24" Arch to Center  
Modular Tarp & Frames

SLIDE KIT  
Windmaster BULLET

**Windmaster CURVE**  
engineered sliding systems

33" Custom Nose Fairing  
Proven CFD Tested

One Pcs Tarp  
Roll Formed Frames

"Economical Dome Roof System"

SLIDE KIT  
1-SHOT KIT  
Round Top Sliding System for Commercial Trailers

**Windmaster the SMARTLOOK**  
engineered sliding systems

"The Ultimate Aerodynamic System"

- Fiberglass Bulkhead Nose Fairing
- 9.96% Wind Drag Reduction
- 4.98% Improved Fuel
- Sits 20" Ahead of Trailer
- Stainless Man Door - STD
- POWAIR Front Locks - STD

Wind Drag Reduction of 7%

Fiberglass 3 Pcs Nose Fairing  
33" Tapering down to 10"  
3.5% Improved Fuel  
Stainless Man Door - STD  
Ground Level Manual Front Locks

the LOOK  
Windmaster ORIGINAL



Office: 1051 Clinton St. Buffalo, NY 14206  
Installations and Service:  
2251 Wehrle Drive, Williamsville, NY 14221  
(exit 49 NY I-90)  
Toll Free: 1-877-790-5665 Fax: 1-877-345-5623  
info@loadcovering.com



5499 Harvester Road, Burlington ON L7L 5V4  
Toll Free: 1-800-465-8277 Fax: 905-335-8499  
info@loadcovering.com  
www.loadcoveringsolutions.com

© Copyright 2019