

flatbed trailers

Load Covering Trailers ALCS side curtain system protects like a van trailer but provides side and rear loading versatility like a flatbed trailer. If overhead crane loading is not required, then this load covering model maybe your better choice over a rolling tarp system. Let LCS technical experts walk through the Features, Advantages & Benefits and you make the right choice. LCS engineers and manufactures both styles of systems for the simple reason, not 1 system fits all load covering requirements.



Let LCS Technical Experts Recommend the Features, Advantages & Benefits of a Side Curtain System KNOW WHEN A ROLLING TARP SYSTEM is not the Right Choice!



Front Bulkhead

vertical breakaway posts.

Front bulkhead frame is constructed from steel and comes hot dipped galvanized to protect from corrosion. Standard chamfered design set 4" ahead of front trailer sill provides full deck length for loading. Standard White FRP insert panel, optional color match or Mirror Stainless Overlay panels are available. Comes in STD white or Black FRP.

Rear Door Frame comes standard with an HD 6"
× 2" steel channel construction, hot dipped
galvanized for corrosion protection and 1"
Plymetal white doors. Regular HD hinges with
galvanized single or double locking rods. Inside
door width is standard at 98".



Rear Door Frame

Wedge Systems are not new at LCS. We offer based on trailer deck heights, specifically if the rear deck height is 5" or lower than the front highest point to increase the rear door height to maximum 13'6" and run the roof parallel to the road. This offers customers more rear of center loading room, thus a Wedge System.



b-train trailers







ALCS Curtains are constructed from 26.5oz PVC tension fabric and are 100% fully welded. 2" vertical cargo belts are welded on 24" centers to the interior curtain wall with a lower horizontal rip stop strap bisecting it at the buckle securement points providing double reinforcement and strength. Available in several colors...

ALCS Side Curtain systems for drop deck trailers, offers greater versatility over a flatbed for those higher load covering requirements. Perfect for industrial machinery, construction, farm and mining equipment or most loads that are reaching 10ft in height. A one piece curtain, the upper deck slides to the rear from ground level as well as the lower deck sliding to the front upper deck.





When overhead loading is not required, check out the ALCS Side Curtain System first, over a fully retractable rolling tarp system.

- Less Moving Parts Lower Maintenance Cost
 Less Damage Greater Longevity

ALCS side curtains for truck bodies makes scheduling of local deliveries easier than if delivered in a regular hard side van body. No longer is the first loaded goods, the last goods delivered. With a side curtain system shippers can organize versatility in their deliveries with the ease of unloading from any position on the deck of the truck body. Available with center support posts dividing the deck into two halves or side break away post allowing full interior loading like a van an ALCS side curtain system will suit your load covering needs.







Load Covering Solutions continues to market its customized tarping systems into specialized transportation sectors where trailers are pulled by non-semi trucks. Gooseneck, Bumper Pull Deck Over & Fender Trailers are now a growing market where LCS vast and diversified models of systems are in demand. Let LCS spec your trailer specifically to your load requirements and provide the complete package. LCS has its own dedicated financing provider if required.



Bumper Pull Deck Over Trailers available through LCS - 20ft - 30ft.

features & options



Optional Center T-Post Design



Front Ratchet Tensioner



Rear Quick Release Ratchet Tensioner



Removable Breakaway Posts Stainless Over Center Buckle









PO Box 1958, 715 N. Rocky Ridge Road, Cadiz KY 42211 Toll Free: 1-877-790-LOOK (5665) Tele: 270-522-3260 | Fax: 270-522-1171 info@loadcovering.com www.loadcovering.com www.loadcoveringtrailers.com



5499 Harvester Road Burlington ON L7L 5V4 Toll Free: 1-800-465-8277 Fax: 905-335-8499 info@loadcovering.com

